



FEATURES & SPECIFICATIONS

POWERTRAIN

ENGINE	A-SPEC™	ELITE A-SPEC™	ELITE A-SPEC™ MT	TYPE S™
Drivetrain	Front-wheel drive²	Front-wheel drive²	Front-wheel drive²	Front-wheel drive²
Engine type	1.5-litre inline 4-cylinder with Turbocharger	1.5-litre inline 4-cylinder with Turbocharger	1.5-litre inline 4-cylinder with Turbocharger	2.0-litre inline 4-cylinder with Turbocharger
Turbo type	Mono-scroll	Mono-scroll	Mono-scroll	Mono-scroll
Displacement (cc)	1498	1498	1498	1996
Horsepower¹ (@ rpm)	200 hp @ 6000 rpm	200 hp @ 6000 rpm	200 hp @ 6000 rpm	320 hp @ 6500 rpm
Torque¹ (lb.-ft. @ rpm)	192 lb.-ft. @ 1800-5000 rpm	192 lb.-ft. @ 1800-5000 rpm	192 lb.-ft. @ 1800-5000 rpm	310 lb.-ft. @ 2600-4000 rpm
Bore and Stroke (mm)	73.0 mm / 89.5 mm	73.0 mm / 89.5 mm	73.0 mm / 89.5 mm	86.0 mm / 85.9 mm
Valve train	16-valve, DOHC, VTEC®	16-valve, DOHC, VTEC®	16-valve, DOHC, VTEC®	16-valve, DOHC, VTEC®
Compression ratio	10.3:1	10.3:1	10.3:1	9.8:1
Fuel injection	Direct injection	Direct injection	Direct injection	Direct injection
Active exhaust valve				•
Idle stop	•	•	•	
Remote engine starter with vehicle feedback	•	•		

TRANSMISSION

6-speed manual transmission (MT)			•	•
Continuously variable transmission (CVT)	•	•		
Redline (rpm)	6500	6500	6500	7000
Sequential SportShift® paddle shifters	•	•		
Final drive ratio	5.048:1	5.048:1	4.353:1	3.842:1

FUEL ECONOMY

City/Hwy/Combined³ (L/100 km)	8.0/6.3/7.3	8.0/6.3/7.3	8.9/6.5/7.8	11.1/8.3/9.9
Recommended fuel	Premium unleaded (91 Octane)	Premium unleaded (91 Octane)	Premium unleaded (91 Octane)	Premium unleaded (93 Octane)
Capless fueling system	•	•	•	•
Fuel tank capacity (L)	46	46	46	46

dentsu studios

1 University Ave., 7th Floor, Toronto, ON M5J 2P1

031305.02.06 MY26_Integra_ebrochure_with TypeS_EN.indd

BY
Steve Errett / Sung Wongpitaksiri

PRINTED AT
None

FROM
UAC-H2WG81K2Q6NY

PROJECT INFORMATION

JOB ID #

031305.02.06

CLIENT

Acura

BUILT AT

100%

RESOLUTION

None

DIMENSIONS

8.5" x 11"

DATES

DUE DATE

None

INSERTION DATE

None

PUBLICATIONS

None

SAVED AT

10-1-2025 11:29 AM

MEDIA

FONTS

Acura Bespoke, National

COLOURS

Red

Green

Blue

IMAGES

INTG26_009.psd (181 ppi, 188 ppi), AcuraPrimary_PCP_KO_NEW_10-11_ENG.eps, INTEGRA_logo_FINAL_20210930_KO.ai

APPROVALS

ART DIRECTOR

None

COPYWRITER

Nico Mexner

ACCOUNT MGR

Karen Lok

STUDIO ARTIST

Steve

PRODUCTION MGR

Raj

CHASSIS

BRAKES	A-SPEC™	ELITE A-SPEC™	ELITE A-SPEC™ MT	TYPE S™
Brembo® front 4-piston braking system				•
Power-assisted, ventilated front/solid rear disc brakes	•	•	•	•
Electronic Parking Brake (EPB) with automatic brake hold	•	•	•	•

DIMENSIONS

Stabilizer bars (mm, front/rear)	27.0 x 4.5 (tubular) / 18.0 (solid)	27.0 x 4.5 (tubular) / 18.0 (solid)	27.0 x 4.5 (tubular) / 18.0 (solid)	29.0 x 5.0 (tubular) / 20.5 (solid)
Steering ratio (deg.)	11.52:1	11.52:1	11.52:1	11.62:1
Steering wheel turns – lock-to-lock	2.17	2.17	2.17	2.11
Turning diameter, curb to curb (m)	11.6	11.6	11.6	12.1

TIRES

Tire Pressure Monitoring System (TPMS)	•	•	•	•
Tires	P235/40R18 91W	P235/40R18 91W	P235/40R18 91W	P265/30ZR19 93Y
Tire Repair Kit (TRK)	•	•	•	•

WHEELS

18" aluminum-alloy wheels	•	•	•	
19" aluminum-alloy wheels				•

CHASSIS – MISCELLANEOUS

Helical limited slip differential			•	•
Variable ratio electric power-assisted rack-and-pinion steering (EPS)	•	•	•	•
Integrated Dynamics System (IDS)	Comfort / Normal / Sport	Comfort / Normal / Sport / Individual	Comfort / Normal / Sport / Individual	Comfort / Sport / Sport+ / Individual
Dual axis strut front suspension				•
MacPherson strut front suspension	•	•	•	
Multi-link independent rear suspension	•	•	•	•
Adaptive Damper System		•	•	With sensor
Agile Handling Assist™	•	•	•	•

SAFETY & DRIVER-ASSISTIVE TECHNOLOGY

ACURAWATCH®				
Adaptive Cruise Control (ACC) ^{2,4}	With Low-Speed Follow	With Low-Speed Follow	•	•
Auto high beam headlights ²	•	•	•	•
Blind Spot Information (BSI) system ^{2,5}	•	•	•	•
Collision Mitigation Braking System™ ^{2,6} (CMBS®)	•	•	•	•
Rear Cross Traffic Monitor (CTM) ^{2,7}	•	•	•	•
Forward Collision Warning (FCW) ^{2,8}	•	•	•	•
Lane Departure Warning (LDW) ^{2,9}	•	•	•	•
Lane Keeping Assist System (LKAS) ^{2,10}	•	•	•	•
Front and rear low-speed Automatic Emergency Braking ² (AEB)		•	•	•
Post-collision braking	•	•		
Road Departure Mitigation (RDM) system ^{2,11}	•	•	•	•
Traffic Jam Assist ^{2,12}	•	•		

SAFETY & SECURITY				
Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	•
Advanced front airbags (SRS)	•	•	•	•
Front side airbags	•	•	•	•
Front knee airbags	•	•	•	•
Rear outboard passenger's side airbags	•	•	•	•
Side curtain airbags	•	•	•	•
Rear seat reminder ¹³	•	•	•	•
Seat belt reminder for all seating positions	•	•	•	•
Lower Anchors and Tethers for Children (LATCH)	Lower Anchors (2nd row outboard), Tether Anchors (2nd row all)	Lower Anchors (2nd row outboard), Tether Anchors (2nd row all)	Lower Anchors (2nd row outboard), Tether Anchors (2nd row all)	Lower Anchors (2nd row outboard), Tether Anchors (2nd row outboard)
Childproof rear door locks	•	•	•	•
Anti-lock Braking System ¹⁴ (ABS)	•	•	•	•
Brake Assist	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•
Vehicle Stability Assist ¹⁵ (VSA®) with Traction Control	•	•	•	•
Immobilizer theft-deterrent system	•	•	•	•
Security system	•	•	•	•
DRIVER CONVENIENCE				
Multi-angle rearview camera ¹⁶ with dynamic guidelines	•	•	•	•
Parking sensors ²		•	•	•
Head-up display		•	•	•
Rear window defroster	•	•	•	•
Wipers	Variable intermittent	Rain-sensing	Rain-sensing	Rain-sensing
Driver attention monitor	•	•	•	•
Hill Start Assist ^{2,17}	•	•	•	•
EXTERIOR				
LIGHTING				
Jewel Eye® LED headlights	•	•	•	•
Chicane™ LED Daytime Running Lights (DRL)	•	•	•	•
LED fog lights	•	•	•	
LED headlights with auto-on/off	•	•	•	•
LED front turn signal indicators	•	•	•	•
Chicane™ LED taillights	•	•	•	•
LED brake lights	•	•	•	•
SIDE MIRRORS				
Heated power-adjusting side mirrors	•	Integrated turn signal indicators, reverse auto tilt-down	Integrated turn signal indicators, reverse auto tilt-down	Integrated turn signal indicators
Side mirror colour	Body-coloured	Body-coloured	Body-coloured	Body-coloured
EXTERIOR – MISCELLANEOUS				
A-SPEC™ exterior Sport Appearance Package	•	•	•	
Type S™ exterior Sport Appearance Package				•
Exhaust finisher	Dual-round	Dual-round	Dual-round	Triple centre
Splash guards	Front	Front	Front	

T:8.5"
S:7.75"

INTERIOR

ACCESS	A-SPEC™	ELITE A-SPEC™	ELITE A-SPEC™ MT	TYPE S™
Keyless access system	•	With Acura Personalized Settings	With Acura Personalized Settings	•
CARGO				
Cargo area light	•	•	•	•
Cargo cover	•	•	•	•
SEATS				
Seat material	Leatherette	Leatherette with Ultrasuede® inserts (front), Leatherette (2nd row)	Leatherette with Ultrasuede® inserts (front), Leatherette (2nd row)	Leatherette with perforated Ultrasuede® inserts, Leatherette (2nd row)
Driver seat	8-way power adjustment	12-way power adjustment including 4-way power lumbar support	12-way power adjustment including 4-way power lumbar support	12-way power adjustment including 4-way power lumbar support
Passenger seat	4-way manual adjustment	4-way power adjustment	4-way power adjustment	4-way manual adjustment
Memory system for driver's seat		Two position	Two position	
Heated front seats	•	•	•	•
REAR SEATS				
Heated second-row seats		•	•	
60/40 split-folding rear seat	•	•	•	•
STEERING WHEEL				
Steering wheel-mounted controls	Heated, leather-wrapped, A-SPEC™ design	Heated, leather-wrapped, A-SPEC™ design	Heated, leather-wrapped, A-SPEC™ design	Heated, leather-wrapped, Type S™ design
Tilt and telescopic steering column	•	•	•	•
Steering wheel-mounted paddle shifters	•	•		
WINDOWS				
Acoustic laminate glass	Windshield	Windshield	Windshield	Windshield
Power moonroof with tilt feature and sliding shade	•	•	•	
Power windows with auto-up/down	Front	Front	Front	Front
CLIMATE				
Climate control	Dual-zone automatic climate control	Dual-zone automatic climate control	Dual-zone automatic climate control	Dual-zone automatic climate control
LIGHTING				
Ambient lighting	White with door accent	White with door accent	White with door accent	White with door accent
LED task lights	•	•	•	•
INTERIOR – MISCELLANEOUS				
Auto-dimming rearview mirror	•	•	•	•
Driver's and front passenger's illuminated vanity mirrors	•	•	•	•
A-SPEC™ interior Sport Appearance Package	•	•	•	
Type S™ interior Appearance Package				•
Active Noise Cancellation (ANC)		•	•	•
Active Sound Control (ASC)		•	•	•
STORAGE				
Seatback pockets	Passenger	Passenger	Passenger	Passenger
Tonneau cover	•	•	•	•

T:11"
S:10.5"

T:8.5"
S:7.75"

AUDIO & CONNECTIVITY

AUDIO	A-SPEC™	ELITE A-SPEC™	ELITE A-SPEC™ MT	TYPE S™
Acura Premium Audio System	•			
ELS Studio® 3D Premium Audio System		•	•	•
Speakers	8	16, including subwoofer	16, including subwoofer	16, including subwoofer

AUDIO & CONNECTIVITY – MISCELLANEOUS

9-inch touchscreen display	•	•	•	•
Apple CarPlay ^{#2,18} / Android Auto ^{TM2,19}	Wired/wireless	Wired/wireless	Wired/wireless	Wired/wireless
HD Radio TM		•	•	•
SiriusXM ^{TM20}		•	•	•
Bluetooth® Streaming Audio ²¹	•	•	•	•
Amazon Alexa Built-in ²²		•	•	
Wi-Fi hotspot capability ²³		•	•	
AcuraLink ^{®24} Connected Services		•	•	
10.2" meter display	•	•	•	•
USB device connectors ²⁵	1 USB-A 2.5A (Front)	1 USB-A 2.5A (Front) 1 USB-C 3.0A (Front) 2 USB-C 3.0A (2nd row)	1 USB-A 2.5A (Front) 1 USB-C 3.0A (Front) 2 USB-C 3.0A (2nd row)	1 USB-A 2.5A (Front) 1 USB-C 3.0A (Front)
Wireless phone charger (Qi-compatible)	•	•	•	•
12-volt power outlet	Front console	Front console	Front console	Front console

DIMENSIONS

EXTERIOR				
Curb weight (kg)	1417	1436	1400	1460
Gross vehicle weight rating (kg)	1850	1850	1820	1795
Ground clearance (mm)	128.99	128.99	128.99	122.75
Height (mm)	1410	1410	1410	1407
Length (mm)	4734.62	4734.62	4734.62	4730.3
Track – front/rear (mm)	1537.1 / 1566.6	1537.1 / 1566.6	1537.1 / 1566.6	1626.2 / 1614.3
Wheelbase (mm)	2736	2736	2736	2735
Width (mm)	1830	1830	1830	1900
INTERIOR				
Cargo volume – standard ²⁶ (L)	688	688	688	688
Headroom – front/rear (mm)	956 / 925	956 / 925	956 / 925	981 / 925
Legroom – front/rear (mm)	1074 / 950	1074 / 950	1074 / 950	1074 / 950
Max seating capacity	5	5	5	4
Passenger volume (L)	2713	2713	2713	2752

T:11"
S:10.5"

T:8.5"
S:7.75"

1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. These product and feature disclaimers are intended to provide a general overview of feature information, restrictions and limitations. For more comprehensive product and feature information, limitations and restrictions, please refer to your vehicle's Owner's Manual.
3. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>.
4. Improper use of Adaptive Cruise Control (ACC) with Low-Speed Follow (LSF) can lead to a crash. Use the brake pedal whenever necessary, and always keep a safe distance between your vehicle and other vehicles. Use ACC with LSF only when driving on expressways or freeways and in good weather conditions. Exiting a vehicle that has been stopped while the ACC with LSF system is operating can result in the vehicle moving without operator control which could result in serious injury or death. Do not use ACC with LSF in conditions including: in poor visibility; when you must slow down and speed up repeatedly; on winding roads; when you enter a toll gate, interchange, service area, parking area, etc.; on a slippery road; when a spare tire is installed; or when going down a steep hill.
5. Accuracy of the Blind Spot Information (BSI) system will vary based on weather, size of object and speed, and may not detect all relevant traffic. Do not rely only on BSI system when changing lanes. Always look in your mirrors, to either side of your vehicle, and behind you for other vehicles before changing lanes.
6. The Collision Mitigation Braking System (CMBS) is designed to reduce the severity of an unavoidable collision. CMBS does not prevent collisions nor stop the vehicle automatically and may not activate or detect a vehicle in certain circumstances. It is still your responsibility to operate the brake pedal and steering wheel appropriately according to the driving conditions. System operation affected by extreme interior heat.
7. Do not solely rely on the Rear Cross Traffic Monitor system. Always also use your mirrors, and look behind and to the sides of your vehicle before reversing.
8. Forward Collision Warning (FCW) cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
9. Lane Departure Warning (LDW) only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
10. The Lane Keeping Assist System (LKAS) is not a substitute for your vehicle control. Keep your hands on the steering wheel at all times. The LKAS may deactivate at any time and its accuracy will vary based on weather, speed, vehicle condition and road condition including condition and visibility of lane markings. System operation affected by extreme interior heat.
11. It is always your responsibility to keep the vehicle within your driving lane. The Road Departure Mitigation (RDM) system only alerts you when lane drift is detected without a turn signal in use. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and lane marker condition. System operation affected by extreme interior heat.
12. Traffic Jam Assist (TJA) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. TJA may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
13. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items. Always check rear seats before exiting the vehicle.
14. The Anti-lock Braking System (ABS) does not reduce the time or distance it takes to stop the vehicle. It only helps with steering control during hard braking. Always drive appropriately for the conditions.
15. The Vehicle Stability Assist (VSA) may not function properly if tire type and size are mixed. Make sure to use the same size and type of tire, and the air pressures as specified. VSA cannot enhance stability in all driving situations and does not control the entire braking system. Always drive appropriately for the conditions.
16. Visually confirm that it is safe to drive before backing up. Certain conditions (such as weather, lighting and high temperatures) may also restrict the rear view. Do not rely on the rearview display, which does not give you all information about conditions at the back of your vehicle.
17. Hill Start Assist may not prevent the vehicle from rolling downhill on a very steep or slippery slope, and will not operate on small inclines. Hill Start Assist is not a replacement for the parking brake.
18. Apple CarPlay is provided by Apple Inc. and only compatible with certain Apple devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Apple CarPlay when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy or contact Apple Inc. at www.apple.com for details regarding Apple's use and handling of data uploaded by Apple CarPlay. Use of Apple CarPlay is at user's own risk, and is subject to agreement to the Apple CarPlay terms of use, which are included as part of the Apple iOS terms of use. Apple CarPlay vehicle integration is provided "as is" and Honda cannot guarantee Apple CarPlay operability or functionality now or in the future due to, among other conditions, changes in Apple CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details. Apple and Apple CarPlay are trademarks of Apple Inc.
19. Android Auto is provided by Google Inc. and only compatible with certain Android devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Android Auto when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy or contact Google Inc. at www.google.com for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is" and Honda cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details. Android and Android Auto are trademarks of Google Inc.
20. Only available in certain areas. Includes a no-charge trial of three months, beyond which service fees apply.
21. Only compatible with certain devices and operating systems. Devices, cables and adapters are not included and must be purchased separately.
22. Alexa Skills require Amazon account linking to use. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Will need a paid data plan or tether from smartphone to activate commands Functionality is subject to limitations of the cellular network provider.
23. New vehicles are equipped with a complimentary AT&T 90-day or 3 GB data trial period, whichever comes first, which must be redeemed/activated by setting up an AT&T account within the first 90 days of eligible vehicle purchase or lease (as applicable). After the trial period, AT&T and Bell Mobility have partnered to enable Bell Mobility to support in-vehicle Wi-Fi® Hotspot connectivity in Canada. Contact AT&T or visit www.myvehicle.att.com to purchase available data plans after the trial period has ended. The availability of certain GPS satellite and/or cellular networks is required for Wi-Fi® Hotspot to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. 4G LTE connection speeds may vary by region. Wi-Fi is a registered trademark of Wi-Fi Alliance®.
24. Subscription required. Complimentary trial – One year complimentary subscription to AcuraLink Remote package included, after which fees, taxes and other charges will apply in order to continue subscription. The availability of certain cellular networks is required for AcuraLink to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. Ask your dealer for full terms and conditions.
25. Based on SAE J1100 cargo volume measurement standard.


T:11"
S:10.5"

COLOURS

EXTERIOR



Solar Silver Metallic



Platinum White Pearl



Urban Grey Pearl



Majestic Black Pearl




Double Apex Blue Pearl

INTERIOR




Ebony Leatherette



Ebony Leatherette with yellow stitching and Ultrasuede®




Red Leatherette with Ultrasuede®




Ebony Leatherette with Black Ultrasuede®



Red Leatherette with Black Ultrasuede®



Orchid Leatherette with Black Ultrasuede®



Orchid Leatherette with Ultrasuede®

EXTERIOR/INTERIOR COLOURS	A-SPEC™	ELITE A-SPEC™	ELITE A-SPEC™ MT	TYPE S™
Platinum White Pearl	Ebony Leatherette	Ebony Leatherette with yellow stitching and Ultrasuede® or Red Leatherette with Ultrasuede®	Ebony Leatherette with yellow stitching and Ultrasuede®	Ebony Leatherette with Black Perforated Ultrasuede® or Red Leatherette with Black Perforated Ultrasuede®
Majestic Black Pearl	Ebony Leatherette	Ebony Leatherette with yellow stitching and Ultrasuede® or Red Leatherette with Ultrasuede®	Ebony Leatherette with yellow stitching and Ultrasuede®	Ebony Leatherette with Black Perforated Ultrasuede® or Red Leatherette with Black Perforated Ultrasuede®
Solar Silver Metallic	Ebony Leatherette	Ebony Leatherette with yellow stitching and Ultrasuede®	Ebony Leatherette with yellow stitching and Ultrasuede®	Ebony Leatherette with Black Perforated Ultrasuede®
Urban Grey Pearl		Ebony Leatherette with yellow stitching and Ultrasuede® or Red Leatherette with Ultrasuede®		Ebony Leatherette with Black Perforated Ultrasuede® or Red Leatherette with Black Perforated Ultrasuede®
Double Apex Blue Pearl		Ebony Leatherette with yellow stitching and Ultrasuede® or Orchid Leatherette with Ultrasuede®		Ebony Leatherette with Black Perforated Ultrasuede® or Orchid Leatherette with Black Perforated Ultrasuede®