

2026

MDX
ACURA
 PRECISION CRAFTED PERFORMANCE


FEATURES & SPECIFICATIONS

POWERTRAIN

ENGINE	MDX SH-AWD® TECH	MDX SH-AWD® A-SPEC™	MDX SH-AWD® PLATINUM ELITE A-SPEC™	MDX SH-AWD® TYPE S™ ULTRA
Drivetrain	Super Handling All-Wheel Drive™ ¹ (SH-AWD®)	Super Handling All-Wheel Drive™ ¹ (SH-AWD®)	Super Handling All-Wheel Drive™ ¹ (SH-AWD®)	Super Handling All-Wheel Drive™ ¹ (SH-AWD®)
Engine type	3.5-litre, Direct Injection SOHC, i-VTEC® V6	3.5-litre, Direct Injection SOHC, i-VTEC® V6	3.5-litre, Direct Injection SOHC, i-VTEC® V6	3.5-litre, Direct Injection SOHC, i-VTEC® V6
Turbo type				Twin-scroll
Displacement (cc)	3471	3471	3471	2997
Horsepower ²	290 @ 6200 rpm	290 @ 6200 rpm	290 @ 6200 rpm	355 hp @ 5500
Torque ²	267 lb.-ft. @ 4700 rpm	267 lb.-ft. @ 4700 rpm	267 lb.-ft. @ 4700 rpm	354 @ 1400-5000
Valve train	24-valve SOHC i-VTEC® Variable Cylinder Management® (VCM®)	24-valve SOHC i-VTEC® Variable Cylinder Management® (VCM®)	24-valve SOHC i-VTEC® Variable Cylinder Management® (VCM®)	24-valve SOHC i-VTEC® Variable Cylinder Management® (VCM®)
Compression ratio	11.5:1	11.5:1	11.5:1	9.8:1
Fuel injection	Direct injection	Direct injection	Direct injection	Direct injection
Drive-by-Wire Throttle System™	•	•	•	•
Active exhaust valve				•
Idle stop	•	•	•	•
Towing capacity ³ (kg)	Available 1360.8 or 2268	Available 1360.8 or 2268	Available 1360.8 or 2268	Available 1360.8 OR 2268
Remote engine starter with vehicle feedback	•	•	•	•

TRANSMISSION

10-speed automatic transmission (AT)	Shift-by-Wire (SBW)	Shift-by-Wire (SBW)	Shift-by-Wire (SBW)	Shift-by-Wire (SBW)
Sequential SportShift® paddle shifters	•	•	•	•
Final drive ratio	4.17:1	4.17:1	4.17:1	4.17:1

FUEL ECONOMY

City/Hwy/Combined ⁴ (L/100 km)	12.6/9.4/11.2	12.6/9.4/11.2	12.6/9.4/11.2	13.8/11.2/12.4
Recommended fuel	Premium unleaded (91 Octane)	Premium unleaded (91 Octane)	Premium unleaded (91 Octane)	Premium unleaded (91 Octane)
Capless fueling system	•	•	•	•
Fuel tank capacity (L)	70	70	70	70

CHASSIS

BRAKES	MDX SH-AWD® TECH	MDX SH-AWD® A-SPEC™	MDX SH-AWD® PLATINUM ELITE A-SPEC™	MDX SH-AWD® TYPE S™ ULTRA
Brembo® front 4-piston braking system				•
Electro-servo brake system				•
Power-assisted, ventilated front/solid rear disc brakes	•	•	•	•
iBooster Brake System	•	•	•	
Electronic Parking Brake (EPB) with automatic brake hold	•	•	•	•

DIMENSIONS

Stabilizer bars – front/rear (mm)	31.8 x 5.0 / 21.7 x 4.0	31.8 x 5.0 / 21.7 x 4.0	31.8 x 5.0 / 21.7 x 4.0	30.5 solid / 20.0 x 3.5
Steering wheel turns – lock-to-lock	2.73	2.73	2.73	2.73
Turning diametre – curb-to-curb (m)	12.32	12.32	12.32	12.32

TIRES

Tire Pressure Monitoring System (TPMS) with Tire Fill Assist and location and pressure indicators	•	•	•	•
Tires	P255/50 R20 105H	P255/50 R20 105H	P255/50 R20 105H	275/40 R21 107H, self-sealing
Temporary spare tire	T155/85D18 104M	T155/85D18 104M	T155/85D18 104M	
Tire Repair Kit (TRK)				•

WHEELS

20" aluminum-alloy wheels	Shark grey, machine-finished	Shark grey	Berlina Black	
21" aluminum-alloy wheels				Berlina Black, machine-finished

CHASSIS – MISCELLANEOUS

Belt-driven variable ratio electric power-assisted rack-and-pinion steering (EPS)	•	•	•	•
Integrated Dynamics System (IDS)	Snow / Comfort / Normal / Sport / Individual	Snow / Comfort / Normal / Sport / Individual	Snow / Comfort / Normal / Sport / Individual	Snow / Comfort / Normal / Sport / Individual / Sport+ / Lift
Double wishbone front suspension	•	•	•	•
Adaptive air suspension with auto-leveling				•
Multi-link independent rear suspension	•	•	•	•
Amplitude Reactive Damper	•	•	•	
Agile Handling Assist™	•	•	•	•

SAFETY & DRIVER-ASSISTIVE TECHNOLOGY

ACURAWATCH®

Adaptive Cruise Control (ACC) ^{1,5}	With Low-Speed Follow	With Low-Speed Follow	With Low-Speed Follow	With Low-Speed Follow
Auto high beam headlights ¹	•	•	•	•
Blind Spot Information (BSI) system ^{1,6}	•	•	•	With steering avoidance
Lane Change Collision Mitigation ^{1,7}				•
Active Lane Change Assist ^{1,8}				•
Collision Mitigation Braking System™ ^{1,9} (CMBS®)	•	•	•	•
Rear Cross Traffic Monitor (CTM) ^{1,10}	•	•	•	•
Front Cross Traffic Warning (FCTW) ^{1,8}				•
Forward Collision Warning (FCW) ^{1,12}	•	•	•	•
Lane Departure Warning (LDW) ^{1,13}	With steering assist	With steering assist	With steering assist	With steering assist
Lane Keeping Assist System (LKAS) ^{1,14}	•	•	•	•
Cornering Speed Assist ¹	•	•	•	•
Front and rear low-speed Automatic Emergency Braking ¹ (AEB)	•	•	•	•
Road Departure Mitigation (RDM) system ^{1,15}	•	•	•	•
Traffic Jam Assist ^{1,16}	•	•	•	•
Traffic Sign Recognition (TSR) system ^{1,17}	•	•	•	•

SAFETY & SECURITY	MDX SH-AWD® TECH	MDX SH-AWD® A-SPEC™	MDX SH-AWD® PLATINUM ELITE A-SPEC™	MDX SH-AWD® TYPE S™ ULTRA
Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	•
Advanced front airbags (SRS)	•	•	•	•
Front side airbags	•	•	•	•
Front knee airbags	•	•	•	•
Side curtain airbags	•	•	•	•
Rear seat reminder ^a	•	•	•	•
Seat belt reminder for all seating positions	•	•	•	•
3-point seat belts at all seating positions	•	•	•	•
Lower Anchors and Tethers for Children (LATCH)	Lower Anchors (2nd row all, 3rd row all), Tether Anchors (2nd row all, 3rd row all)	Lower Anchors (2nd row all, 3rd row all), Tether Anchors (2nd row all, 3rd row all)	Lower Anchors (2nd row all, 3rd row all), Tether Anchors (2nd row all, 3rd row all)	Lower Anchors (2nd row all, 3rd row all), Tether Anchors (2nd row all, 3rd row all)
Childproof rear door locks	•	•	•	•
Anti-lock Braking System ¹⁹ (ABS)	•	•	•	•
Brake Assist	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•
Vehicle Stability Assist ²⁰ (VSA®) with Traction Control	•	•	•	•
Immobilizer theft-deterrent system	•	•	•	•
Security system	•	•	•	•
DRIVER CONVENIENCE				
Multi-angle rearview camera ²¹ with dynamic guidelines	•	•		
Surround view camera system ²²			•	•
Camera washer	Rear	Rear	Rear	Rear
Parking sensors ¹	Front (4), Rear (4)	Front (4), Rear (4)	Front (4), Rear (4)	Front (4), Rear (4)
Head-up display			•	•
Front wiper de-icer	•	•	•	•
Rear window defroster	•	•	•	•
Wipers	Rain-sensing front, intermittent rear	Rain-sensing front, intermittent rear	Rain-sensing front, intermittent rear	Rain-sensing front, intermittent rear
Driver attention monitor	•	•	•	•
Hill Start Assist ²³	•	•	•	•
Trailer Stability Assist ²⁴	•	•	•	•
EXTERIOR				
LIGHTING				
Jewel Eye® LED headlights with auto-on/off	•	•	•	•
Chicane™ LED Daytime Running Lights (DRL)	•	•	•	•
LED fog lights		•	•	•
LED front turn signal indicators	•	•	•	•
Chicane™ LED taillights	•	•	•	•
LED brake lights	•	•	•	•
LED outer door handle lights			•	•
SIDE MIRRORS				
Heated power-adjusting side mirrors	Integrated turn signal indicators, reverse auto tilt-down, power-folding	Integrated turn signal indicators, reverse auto tilt-down, power-folding	Integrated turn signal indicators, reverse auto tilt-down, power-folding, auto-dimming	Integrated turn signal indicators, reverse auto tilt-down, power-folding, auto-dimming
Side mirror colour	Body-coloured	Gloss Black	Gloss Black	Gloss Black
EXTERIOR – MISCELLANEOUS				
Door handles	Body-coloured	Body-coloured	Body-coloured	Body-coloured
A-SPEC™ exterior Sport Appearance Package		•	•	
Type S™ exterior Sport Appearance Package				•
Exhaust finisher	Dual-rectangle	Dual-round	Dual-round	Quad-round
Side roof rails			Black	Black
Splash guards	Front and rear	Front and rear	Front and rear	Front and rear

INTERIOR

ACCESS	MDX SH-AWD® TECH	MDX SH-AWD® A-SPEC™	MDX SH-AWD® PLATINUM ELITE A-SPEC™	MDX SH-AWD® TYPE S™ ULTRA
Keyless access system	With walk-away door lock	With walk-away door lock	With walk-away door lock	With walk-away door lock
Power tailgate	Programmable height, hands-free access and walk-away auto close	Programmable height, hands-free access and walk-away auto close	Programmable height, hands-free access and walk-away auto close	Programmable height, hands-free access and walk-away auto close
CARGO				
Adjustable cargo floor height (2 levels)	•	•	•	•
Cargo area light	•	•	•	•
SEATS				
Seat material	Perforated Milano premium leather	Perforated Milano premium peather and Ultrasuede®-trimmed interior with contrast stitching and piping	Quilted leather seating surfaces (1st and 2nd row)	Quilted leather seating surfaces with Ultrasuede® inserts and contrast stitching and piping (1st and 2nd row)
Driver Seat	12-way power adjustment including 4-way power lumbar support	12-way power adjustment including 4-way power lumbar support	16-way power adjustment including 4-way power lumbar support	16-way power adjustment including 4-way power lumbar support
Passenger Seat	12-way power adjustment including 4-way power lumbar support	12-way power adjustment including 4-way power lumbar support	16-way power adjustment including 4-way power lumbar support	16-way power adjustment including 4-way power lumbar support
4-way adjustable front seat headrests	•	•	•	•
Memory system for driver's seat and side mirrors	Three position	Three position	Three position	Three position
Memory system for passenger seat	Three position	Three position	Three position	Three position
Heated front seats	•	•	•	•
Ventilated front seats		•	•	•
Massage front seats			•	•
REAR SEATS				
Heated second-row seats (outboard positions only)	•	•	•	•
40/20/40 split-folding 2nd-row seat	•	•	•	•
On-Demand removable 2nd-row middle seat	•	•	•	•
50/50 split-folding 3rd-row seat	•	•	•	•
3rd-row access One-Touch Smart Slide Walk-In	•	•	•	•
STEERING WHEEL				
Steering wheel-mounted controls	Heated, leather-wrapped	Heated, leather-wrapped, A-SPEC™ flat bottom	Heated, leather-wrapped, A-SPEC™ flat bottom	Heated, leather-wrapped, Type S™ flat bottom
Tilt and telescopic steering column	Power	Power	Power	Power
Steering wheel-mounted paddle shifters	•	•	•	•
WINDOWS				
Acoustic laminate glass	Windshield, front, 2nd row	Windshield, front, 2nd row	Windshield, front, 2nd row	Windshield, front, 2nd row
One-touch power panoramic moonroof	With tilt feature and power sunshade	With tilt feature and power sunshade	With tilt feature and power sunshade	With tilt feature and power sunshade
Power windows with auto-up/down	Front, 2nd row	Front, 2nd row	Front, 2nd row	Front, 2nd row
Rear privacy-tinted glass	•	•	•	•
CLIMATE				
Climate control	Tri-zone automatic	Tri-zone automatic	Tri-zone automatic	Tri-zone automatic
LIGHTING				
Iconic Drive™ ambient lighting	•	•	•	With Sport+
LED task lights	•	•	•	•
INTERIOR – MISCELLANEOUS				
Auto-dimming rearview mirror	•	•	•	•
Driver's and front passenger's illuminated vanity mirrors	•	•	•	•
Integrated 2nd-row sunshades		•	•	•
A-SPEC™ interior Sport Appearance Package		•	•	
Type S™ interior Appearance Package				•
Type S™ step garnish				•
Active Noise Cancellation (ANC)	•	•	•	•
Active Sound Control (ASC)	•	•	•	•

STORAGE	MDX SH-AWD® TECH	MDX SH-AWD® A-SPEC™	MDX SH-AWD® PLATINUM ELITE A-SPEC™	MDX SH-AWD® TYPE S™ ULTRA
Door pocket storage	•	•	•	•
Seatback pockets	Driver, passenger	Driver, passenger	Driver, passenger	Driver, passenger
Reversible cargo lid	•	•	•	•

AUDIO & CONNECTIVITY

AUDIO

Bang & Olufsen® sound system	•	•	•	•
Speakers	19 including subwoofer	19 including subwoofer	19 including subwoofer	31 including subwoofer
Speed-Sensitive Volume Control (SVC)	•	•	•	•

AUDIO & CONNECTIVITY – MISCELLANEOUS

12.3" touch-screen display	•	•	•	•
Google built-in ²⁵	•	•	•	•
Apple CarPlay ^{®1,26} / Android Auto™ ^{1,27}	Wired/wireless	Wired/wireless	Wired/wireless	Wired/wireless
HD Radio™	•	•	•	•
Bluetooth® Streaming Audio ²⁸	•	•	•	•
Amazon Alexa Built-in ²⁹	•	•	•	•
CabinTalk™ in-car PA	•	•	•	•
HomeLink ^{®30}	•	•	•	•
Wi-Fi hotspot capability ³¹	•	•	•	•
AcuraLink ^{®32} Connected Services	•	•	•	•
12.3" Precision Cockpit™	•	•	•	•
Wireless phone charger (Qi-compatible)	•	•	•	•
USB device connectors ²⁸	1 USB-A 2.5A (Front) 1 USB-C 3.0A (Front) 2 USB-C 3.0A (Console Compartment) 2 USB-C 3.0A (2nd row)	1 USB-A 2.5A (Front) 1 USB-C 3.0A (Front) 2 USB-C 3.0A (Console Compartment) 2 USB-C 3.0A (2nd row)	1 USB-A 2.5A (Front) 1 USB-C 3.0A (Front) 2 USB-C 3.0A (Console Compartment) 2 USB-C 3.0A (2nd row) 2 USB-A 2.5A (3rd row)	1 USB-A 2.5A (Front) 1 USB-C 3.0A (Front) 2 USB-C 3.0A (Console Compartment) 2 USB-C 3.0A (2nd row) 2 USB-A 2.5A (3rd row)
12-volt power outlet	Passenger lower pocket, 2nd row console, cargo area	Passenger lower pocket, 2nd row console, cargo area	Passenger lower pocket, 2nd row console, cargo area	Passenger lower pocket, 2nd row console, cargo area

DIMENSIONS

EXTERIOR

Curb weight (kg)	2063	2063	2081	2169
Gross vehicle weight rating (kg)	2640	2640	2640	2760
Height (mm)	1724.07	1724.07	1724.07	1724.07
Length (mm)	5039.7	5039.7	5039.7	5039.7
Wheelbase (mm)	2890	2890	2890	2890
Width (mm)	1999.93	1999.93	1999.93	1999.93
Tread – front/rear (mm)	1719 / 1720	1719 / 1720	1719 / 1720	1719/1720
Ground clearance (mm)	185	185	185	185


INTERIOR

Passenger volume (L)	3939	3939	3939	3913
Seating capacity	7	7	7	7
Headroom – 1st/2nd/3rd row (mm)	977 / 968 / 919	977 / 968 / 919	977 / 968 / 919	977/968/919
Hip room – 1st/2nd/3rd row (mm)	1507 / 1469 / 1031	1507 / 1469 / 1031	1507 / 1469 / 1031	1507/1469/1031
Legroom – 1st/2nd/3rd row (mm)	1057 / 977 / 738	1057 / 977 / 738	1057 / 977 / 738	1057/961/737
Maximum cargo volume, behind 3rd row – standard ³³ /maximum ³⁴ (L)	461.6 / 512.5	461.6 / 512.5	461.6 / 512.5	461.6/512.5
Maximum cargo volume, 3rd-row seats folded down – standard ³³ /maximum ³⁴ (L)	1107.2 / 1367.7	1107.2 / 1367.7	1107.2 / 1367.7	1107.2/1367.7
Maximum cargo volume, 2nd- and 3rd-row seats folded down – standard ³³ /maximum ³⁴ (L)	2021.8 / 2690.1	2021.8 / 2690.1	2021.8 / 2690.1	2021.8/2690.1
Shoulder room – 1st/2nd/3rd row (mm)	1573 / 1531 / 1401	1573 / 1531 / 1401	1573 / 1531 / 1401	1573/1531/1401


1. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. These product and feature disclaimers are intended to provide a general overview of feature information, restrictions and limitations. For more comprehensive product and feature information, limitations and restrictions, please refer to your vehicle's Owner's Manual.
2. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
3. Accessory towing package required. Packages are available at an additional cost as a dealer-installed item. See your Owner's Manual for proper towing operation.
4. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>.
5. Improper use of Adaptive Cruise Control (ACC) with Low-Speed Follow (LSF) can lead to a crash. Use the brake pedal whenever necessary, and always keep a safe distance between your vehicle and other vehicles. Use ACC with LSF only when driving on expressways or freeways and in good weather conditions. Exiting a vehicle that has been stopped while the ACC with LSF system is operating can result in the vehicle moving without operator control which could result in serious injury or death. Do not use ACC with LSF in conditions including: in poor visibility; when you must slow down and speed up repeatedly; on winding roads; when you enter a toll gate, interchange, service area, parking area, etc.; on a slippery road; when a spare tire is installed; or when going down a steep hill.
6. Accuracy of the Blind Spot Information (BSI) system will vary based on weather, size of object and speed, and may not detect all relevant traffic. Do not rely only on BSI system when changing lanes. Always look in your mirrors, to either side of your vehicle, and behind you for other vehicles before changing lanes.
7. The Lane Change Collision Mitigation system is not a substitute for your own visual assessment before changing lanes or backing up. System may not detect all objects, or provide complete information about conditions, or what may be located behind or to the side of the vehicle. System accuracy will vary based on weather, size of object(s), speed, road condition (including condition and visibility of lane markings) and other factors. Driver remains responsible for safely operating vehicle and avoiding collisions.
8. The Active Lane Change Assist system is not a substitute for your own visual assessment before changing lanes. System may not detect all objects, or provide complete information about conditions, or what may be located behind or to the side of the vehicle. System accuracy will vary based on weather, size of object(s), speed, road condition (including the condition and visibility of lane markings) and other factors. Driver remains responsible for safely operating vehicle and avoiding collisions. Select service plan required.
9. The Collision Mitigation Braking System (CMBS) is designed to reduce the severity of an unavoidable collision. CMBS does not prevent collisions nor stop the vehicle automatically and may not activate or detect a vehicle in certain circumstances. It is still your responsibility to operate the brake pedal and steering wheel appropriately according to the driving conditions. System operation affected by extreme interior heat.
10. Do not solely rely on the Rear Cross Traffic Monitor system. Always also use your mirrors, and look behind and to the sides of your vehicle before reversing.
11. The Front Cross Traffic Warning system is not a substitute for your own visual assessment before entering an intersection or driving forward. System may not detect all objects, or provide complete information about conditions, or what may be located in front or to the side of the vehicle. System accuracy will vary based on weather, size of object(s), speed and other factors. Driver remains responsible for safely operating vehicle and avoiding collisions.
12. Forward Collision Warning (FCW) cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
13. Lane Departure Warning (LDW) only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
14. The Lane Keeping Assist System (LKAS) is not a substitute for your vehicle control. Keep your hands on the steering wheel at all times. The LKAS may deactivate at any time and its accuracy will vary based on weather, speed, vehicle condition and road condition including condition and visibility of lane markings. System operation affected by extreme interior heat.
15. It is always your responsibility to keep the vehicle within your driving lane. The Road Departure Mitigation (RDM) system only alerts you when lane drift is detected without a turn signal in use. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and lane marker condition. System operation affected by extreme interior heat.
16. Traffic Jam Assist (TJA) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. TJA may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
17. Traffic Sign Recognition (TSR) cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and complying with all traffic regulations.
18. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items. Always check rear seats before exiting the vehicle.
19. The Anti-lock Braking System (ABS) does not reduce the time or distance it takes to stop the vehicle. It only helps with steering control during hard braking. Always drive appropriately for the conditions.
20. The Vehicle Stability Assist (VSA) may not function properly if tire type and size are mixed. Make sure to use the same size and type of tire, and the air pressures as specified. VSA cannot enhance stability in all driving situations and does not control the entire braking system. Always drive appropriately for the conditions.
21. Visually confirm that it is safe to drive before backing up. Certain conditions (such as weather, lighting and high temperatures) may also restrict the rear view. Do not rely on the rearview display, which does not give you all information about conditions at the back of your vehicle.
22. Visually confirm that it is safe to drive before backing up or parking. Certain conditions (such as weather, lighting and high temperatures) may also restrict the camera view. Do not rely on the camera displays as they may not give you all information about conditions, persons, objects or obstructions around your vehicle.
23. Hill Start Assist may not prevent the vehicle from rolling downhill on a very steep or slippery slope, and will not operate on small inclines. Hill Start Assist is not a replacement for the parking brake.
24. Trailer Stability Assist is not a function that prevents the vehicle and trailer from swaying. Avoid high speeds, abrupt steering, improper trailer load, and sudden braking to help keep the trailer from swaying. When swaying too severely, the system becomes ineffective, and you may lose control of your vehicle, causing the trailer to roll over or get damaged. Always exercise caution. Consult your owner's manual for details.
25. Customers need to sign up for a free Wi-Fi hotspot trial to use Google built-in features. This trial is applicable for a period of 3 months or 3 GB, whichever is earlier after which the customers will be required to either: 1) tether/hotspot from a compatible mobile device or 2) subscribe to a compatible data plan from Bell at then-current pricing. For details, see: <https://myvehicle.att.com/#/landing?country=CA&language=en&oem=acura>
26. Apple CarPlay is provided by Apple Inc. and only compatible with certain Apple devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Apple CarPlay when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy or contact Apple Inc. at www.apple.com for details regarding Apple's use and handling of data uploaded by Apple CarPlay. Use of Apple CarPlay is at user's own risk, and is subject to agreement to the Apple CarPlay terms of use, which are included as part of the Apple iOS terms of use. Apple CarPlay vehicle integration is provided "as is" and Honda cannot guarantee Apple CarPlay operability or functionality now or in the future due to, among other conditions, changes in Apple CarPlay software/iOS, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Apple and Apple CarPlay are trademarks of Apple Inc.
27. Android Auto is provided by Google Inc. and only compatible with certain Android devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Android Auto when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy or contact Google Inc. at www.google.com for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is" and Honda cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Android and Android Auto are trademarks of Google Inc.
28. Only compatible with certain devices and operating systems. Devices, cables and adapters are not included and must be purchased separately.
29. Alexa Skills require Amazon account linking to use. Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates. Will need a paid data plan or tether from smartphone to activate commands. Functionality is subject to limitations of the cellular network provider.
30. HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.). Additional control devices not provided by Acura may be required.
31. New vehicles are equipped with a complimentary AT&T 90-day or 3 GB data trial period, whichever comes first, which must be redeemed/activated by setting up an AT&T account within the first 90 days of eligible vehicle purchase or lease (as applicable). After the trial period, AT&T and Bell Mobility have partnered to enable Bell Mobility to support in-vehicle Wi-Fi® Hotspot connectivity in Canada. Contact AT&T or visit www.myvehicle.att.com to purchase available data plans after the trial period has ended. The availability of certain GPS satellite and/or cellular networks is required for Wi-Fi® Hotspot to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. 4G LTE connection speeds may vary by region. Wi-Fi is a registered trademark of Wi-Fi Alliance®.
32. Subscription required. Complimentary trial – One year complimentary subscription to AcuraLink Remote package included, after which fees, taxes and other charges will apply in order to continue subscription. The availability of certain cellular networks is required for AcuraLink to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. Ask your dealer for full terms and conditions.
33. Based on SAE J1100 cargo volume measurement standard.
34. Based on SAE J1100 cargo volume measurement standard, plus rear footwell space and front seats moved forward.

COLOURS

EXTERIOR



Platinum White Pearl



Majestic Black Pearl



Liquid Carbon Metallic



Solar Silver Metallic



Double Apex Blue Pearl



Performance Red Pearl



Urban Grey Pearl

INTERIOR



Ebony Leather



Ebony Leather with
Ultrasuede® insert



Red Leather with
Ultrasuede® insert



Ebony Quilted Leather



Red Quilted Leather



Ebony Quilted Leather with
Ultrasuede® insert



Red Quilted Leather with
Ultrasuede® insert



Orchid Quilted Leather with
Ultrasuede® insert

EXTERIOR/INTERIOR COLOURS	MDX SH-AWD® TECH	MDX SH-AWD® A-SPEC™	MDX SH-AWD® PLATINUM ELITE A-SPEC™	MDX SH-AWD® TYPE S™ ULTRA
Platinum White Pearl	Ebony Leather	Ebony Leather with Ultrasuede® insert or Red Leather with Ultrasuede® insert	Ebony Quilted Leather or Red Quilted Leather	Ebony Quilted Leather with Ultrasuede® insert or Red Quilted Leather with Ultrasuede® insert
Majestic Black Pearl	Ebony Leather	Ebony Leather with Ultrasuede® insert or Red Leather with Ultrasuede® insert	Ebony Quilted Leather or Red Quilted Leather	Ebony Quilted Leather with Ultrasuede® insert or Red Quilted Leather with Ultrasuede® insert
Liquid Carbon Metallic	Ebony Leather	Ebony Leather with Ultrasuede® insert or Red Leather with Ultrasuede® insert	Ebony Quilted Leather or Red Quilted Leather	Ebony Quilted Leather with Ultrasuede® insert or Red Quilted Leather with Ultrasuede® insert
Solar Silver Metallic	Ebony Leather	Ebony Leather with Ultrasuede® insert	Ebony Quilted Leather	Ebony Quilted Leather with Ultrasuede® insert
Double Apex Blue Pearl		Ebony Leather with Ultrasuede® insert	Ebony Quilted Leather	Ebony Quilted Leather with Ultrasuede® insert or Orchid Quilted Leather with Ultrasuede® insert
Performance Red Pearl		Ebony Leather with Ultrasuede® insert	Ebony Quilted Leather	Ebony Quilted Leather with Ultrasuede® insert
Urban Grey Pearl			Ebony Quilted Leather	